HP Color LaserJet Managed MFP E786

Powerful. Flexible. Secure.

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers 'you'll stay secure and simplify fleet management for busy IT pros.



Customizable solutions built to last.

- Your business needs met. Make the most of performance with unprecedented, flexible configurations built to support the demands of your business.
- Expand device functionality and performance with upgradeable options through any point in contract.
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.²

Unleash peak productivity.

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.

Always on guard with HP Wolf Security.

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified ⁶ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time
- HP Memory Shield[™] with active system monitoring is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁸
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.⁹ Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Silver, Energy Star, and Blue Angel.¹⁰
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.¹¹

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to 297 x 432 mm (11x17 in)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3 (11x17 in)
- 14. 200-sheet dual side ADF supports media sizes up to A3 (11x17 in)
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Right door access to the print path
- 18. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17 in)
- 19. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 20. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17 in)



Series at a glance

Model	HP Color LaserJet Managed MFP E786 Core Printer			
Product number	5QK18A	5QK18A (Base) + 8EP56AAE (Speed license)	5QK18A (Base) + 8EP57AAE (Speed license)	
Print speed (A4 and letter, black and color) ³	Up to 25 ppm	Up to 30 ppm	Up to 35 ppm	
Scan speed (A4 and letter, black and color)⁴	60 ppm/120 ipm, simplex/duplex			
Functions	Print, copy, and scan (fax and wireless optional) (all models)			
ADF capacity	Standard, 100 sheets or 200 sheets			
Input capacity	Standard: 1,140 sheets; Maximum: 3,140 sheets (all models)			
Advanced workflow features	No			

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ³ An administrator must enable the easy-access USB port before use. ⁴ The ZP85 series Flow models include a 300-sheet ADF. The ZP65 series flow models include a 200-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3). ⁵ Measured using ISU/IEC 27743, excludes First set of test documents. For more information, see hp. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Top features

Optimize your workflows and help increase productivity with upgradeable hardware options and scalable solutions to support your workforce for today and tomorrow. Get more done faster with printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quad-core processor..

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats.¹ We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Silver, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

Service and Support	U03GVE HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03GWE HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03GXE HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03GYE HP 3 year A hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03GVE HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H0E HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H0E HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H0E HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H1E HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H1E HP 1 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E786xx (Managed Component Only) U03H3E HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E786xx (Managed Component Only) U03H4E HP 4 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E786xx (Managed Component Only) U03H4E HP 4 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E786xx (Managed Component Only) U03H4E HP 4 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E786xx (Managed Component Only) U03H4E HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03H7PE HP 2 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03H8PE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03H8PE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03H8PE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03H8PE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03H8PE HP 1 year Post Warranty A hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H8PE HP 1 year Post War
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit

Front panel optional colors



*Available with optional color panel accessories

		Available with optional color parter accessories
Accessories	155P7A	HP LaserJet InnerFinisher 2/3 Hole Punch
	155P8A	HP Laser Jet InnerFinisher 2/4 Hole Punch
	190A0A	HP Color LaserJet Workgroup Lunar Gray Color Panel
	190A6A	HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel
	190A7A	HP Laser Jet Workgroup High Capacity Paper Tray/Stand Lunar Gray Color Panel
	190A9A	HP LaserJet Workgroup Stand Lunar Gray Color Panel
	190B0A	HP Color Laser Jet Workgroup Comet Red Color Panel
	190B6A	HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Comet Red Color Panel
	190B7A	HP Laser Jet Workgroup High Capacity Paper Tray/Stand Comet Red Color Panel
	190B9A	HP Laser Jet Workgroup Stand Comet Red Color Panel
	190C0A	HP Color LaserJet Workgroup Cosmic Green Color Panel
	190C6A	HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel
	190C7A	HP LaserJet Workgroup High Capacity Paper Tray/Stand Cosmic Green Color Panel
	190C9A	HP Laser Jet Workgroup Stand Cosmic Green Color Panel
	190D0A	HP Color Laser Jet Workgroup Constellation Yellow Color Panel
	190D6A	HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel
	190D7A	HP LaserJet Workgroup High Capacity Paper Tray/Stand Constellation Yellow Color Panel
	190D9A	HP Laser Jet Workgroup Stand Constellation Yellow Color Panel
	190F0A	HP Color LaserJet Workgroup Aurora Purple Color Panel
	190F6A	HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel
	190F7A	HP Laser Jet Workgroup High Capacity Paper Tray/Stand Aurora Purple Color Panel
	190F9A	HP Laser Jet Workgroup Stand Aurora Purple Color Panel
	2MU47A	HP Accessibility Assistant
	3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	4QL32A	HP Legic Secure USB Reader
	4XN67A	Internal USB Expansion Kit
	5QK14A	HP MFP 810 Analog Dual Fax
	5QK34A	HP LaserJet 120ipm 100 sheet DADF Scanner
	5QK35A	HP Laser Jet 180ipm 200 sheet DADF Scanner
	5QK36A	HP Laser Jet 240ipm 200 sheet Flow DADF Scanner
	5QK41A	HP Laser Jet 8.0 in (20.3cm) Touchscreen
		HP LaserJet 10.1 in (25.6cm) Touchscreen
		HP Laser Jet 32GB Multi Media Card
		HP Laser Jet 500GB SED Hard Disk Drive
		HP LaserJet 2x520 sheet Workgroup Paper Tray/Stand
		HP LaserJet 2000 sheet Workgroup High Capacity Paper Tray/Stand
		HP LaserJet Inner Finisher
		HP LaserJet Booklet Finisher
		HP LaserJet Workgroup Job Separator
		HP LaserJet Workgroup Stand
		HP Laser Jet Stapler/Stacker Finisher
		HP Laser Jet Workflow Accelerator Card
		HP 500GB CCC, FIPS, TAA Hard Disk Drive
		HP MFP 800 Analog Single Fax
	8FP31A	HP Jetdirect LAN Accessory
		HP 500GB CCC, FIPS Hard Disk Drive
	B5L31A X3D03A	HP Foreign Interface Harness
	Y1G10A	HP USB Universal Card Reader HP LaserJet Hole Punch 2/3 Accessory
	Y1G11A	HP Laser Jet Hole Punch 2/3 Accessory
		HP Laser Jet The Point 2/4 Accessory HP Laser Jet Inner/Booklet Staples
		HP Laser Jet Stapler/Stacker Finisher Staples
	Y1G22A	HP Laser Jet Staplet / Jacker Hillshell Staples
	Y1G23A	HP Laser Jet Paper Tray Treater's Accessory
	Y7C05A	HP HIP2 Keystroke Reader
	Y7C07A	HP SIM for HID iClass for HIP2 Reader
Speed Licenses	8EP56AAE	HP Color LaserJet Managed MFP E786 25 to 30ppm License
	8EP57AAE	HP Color Laser Jet Managed MFP E786 25 to 35ppm License
	8LB46AAE	HP Color Laser Jet Managed MFP E786 30 to 35ppm License

* HP LaserJet Workflow Accelerator Card, 6HN30A will be available in January 2023.

Data sheet | HP Color LaserJet Managed MFP E786 Core Printer Series

Technical specifi							
Functions Print, copy, scan, fax (optional)							
Print speed ³	Letter Black Letter Color	Up to 25 ppm Up to 25 ppm	Up to 30 ppm (with 8EP56AAE) Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE) Up to 35 ppm (with 8EP57AAE)			
	A4 Black	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)			
	A4 Color	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)			
	First page out Letter Black	As fast as 11.1 sec	As fast as 9.4 sec (with 8EP56AAE)	As fast as 9.1 sec (with 8EP57AAE)			
	First page out Letter Color	As fast as 13.0 sec	As fast as 11.4 sec (with 8EP56AAE)	As fast as 10.8 sec (with 8EP57AAE)			
	First page out A4 Black	As fast as 11.1 sec	As fast as 9.4 sec (with 8EP56AAE)	As fast as 9.1 sec (with 8EP57AAE)			
	First page out A4 Color	As fast as 13.0 sec	As fast as 11.4 sec (with 8EP56AAE)	As fast as 10.8 sec (with 8EP57AAE)			
Print resolution	Black (best): Up to 1200 x 1200 dpi reduc reduced speed; Color (normal): Up to 600		x 600 dpi; Black (fine lines): Up to 1200 x 120 00 x 1200 dpi	10 dpi; Color (best): Up to 1200 × 1200 dp			
Print technology	Laser; Optical : Normal (600 × 600 4 bit); Best (1200 × 1200 1 bit)						
Print cartridges number	4 (1 each black, cyan, magenta, yellow)						
tandard print languages	HP PCL 5c, HP PCL 6, HP Postscript level 3	3 emulation, PDF (v 1.7), AirPrint™ co	mpatible				
Printer smart software eatures			llation, watermarks, store print jobs, easy-ac	cess USB			
Color scanning	Yes						
Scan speed Normal ⁵	50K34A : Up to 60 ppm/120 ipm (b&w), up to 60 ppm/120 ipm (color) 50K35A : Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) 50K36A : Up to 120 ppm/240 ipm (color) 50K36A : Up to 60 ppm/120 ipm (b&w), up to 60 ppm/120 ipm (color) 50K35A : Up to 90 ppm/180 ipm (color) 50K35A : Up to 90 ppm/180 ipm (color) 50K35A : Up to 120 ppm/240 ipm (color) 50K35A : Up to 120 ipm (b&w), up to 120 ipm (color) 50K35A : Up to 120 ipm (color) 50K36A : Up to 240 ipm (b&w), up to 240 ipm (color) 50K34A : Up to 120 ipm (b&w), up to 120 ipm (color) 50K35A : Up to 120 ipm (color) 50K35A : Up to 120 ipm (color) 50K35A : Up to 120 ipm (color) 50K36A : Up to 240 ipm (color) (color) 50K35A : Up to 120 ipm (b&w), up to 120 ipm (color) 50K35A : Up to 120 ipm (b&w), up to 120 ipm (color) 50K36A : Up to 240 ipm (color) (color) (color) 50K35A : Up to 120 ipm (b&w), up to 120 ipm (color) 50K36A : Up to 240 ipm (color) (color) (color) (color) (color) (b&w), up to 120 ipm (color) 50K36A : Up to 240 ipm (color) (co						
Scan type / Technology	ADF; Flatbed / D-CIS; Platen Scanner (CCD))					
Scan resolution	Hardware: Up to 600 x 600 dpi; Optical: U						
ican file format	Hi-Compression PDF: JPEG: MTIFF: PDF: F						
Scan input modes	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath						
Scan Size	applications	num: 60 v 107 mm 0 7 ·· 6 in Flath	+ 207 v 422 mm				
Scanner advanced features	ADF Maximum: 297 x 864 mm; ADF Minimum: 68 x 127 mm; 2.7 x 5 in Flatbed: 297 x 432 mm; (Flow model only) embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; document editing;						
Duplex ADF scanning	auto paper color removal; job separation (blank page, barcode); watermark; stamps Yes						
NDF capacity	Standard, 100 sheets or 200 sheets						
wain version	Version 2.4						
Bit depth / Grayscale levels Digital sending standard	24-bit/256						
eatures	Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, shar text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job bu page suppression; automatically straighten; (Flow model only) embedded OCR; optimize text/picture (auto); scan to multi-destination; autom orientation; multi-feed detection; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps						
Copy speed	Letter Black	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)			
	Letter Color	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)			
	A4 Black	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)			
	A4 Color	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)			
	Letter Black Duplex	Up to 18 cpm	Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE)			
	Letter Color Duplex	Up to 18 cpm	Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE)			
	A4 Black Duplex	Up to 18 cpm	Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE)			
	A4 Color Duplex	Up to 18 cpm	Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE)			
	First copy out Letter Black	As fast as 6.7 sec	As fast as 5.4 sec (with 8EP56AAE)	As fast as 4.8 sec (with 8EP57AAE)			
	First copy out Letter Color First copy out A4 Black	As fast as 8.9 sec As fast as 6.7 sec	As fast as 7.6 sec (with 8EP56AAE)	As fast as 6.8 sec (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE)			
	First copy out A4 black	As fast as 8.9 sec	As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE)	As fast as 6.8 sec (with 8EP57AAE)			
Copy resolution	Black (text and graphics): ; Up to 600 x 60			AS TASE AS 0.0 SEC (WILLI DEP STARE)			
faximum number of copies			0 000 x 000 dpi				
Copier resize	25 to 400%						
Copier settings	Booklet; Collation; Content orientation; Edge Erase; Image adjustment; Job build; N or Z-ordering; N-up; Text/Photo; Two-sided copy; Watermark; reduce/enlarge; S mode (book, 2-sided ID); Stamps; Image overlay; Image shift; Image preview; Paper selection; Blank page suppression; Scan to job storage; Automatically strainght Automatically detect color/monochrome; Auto tone; Multi-feed detection; Document editing; Auto paper color removal						
ax speed	Automatically detect color/monochrome, Auto tone, Multi-reed detection, Document editing, Auto paper color removal Up to: 33.6 kbps / Letter: 3 sec per page						
•	Up to: 33.6 kDps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi						
ay resolution							
		1 30	Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No				
ax Features	Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax ph barrier supported: Yes Maximum speed d	pages Auto fax reduction supported one TAM interface supported: No Fax ialing numbers: Up to 1000 numbers	polling supported: Yes (poll to receive only) F	ax telephone mode supported: No Junk			
ax Features	Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax ph barrier supported: Yes Maximum speed d supported: No Telephone handset suppo	pages Auto fax reduction supported one TAM interface supported: No Fax ialing numbers: Up to 1000 numbers rted: No	polling supported: Yes (poll to receive only) F	ax telephone mode supported: No Junk pported: Yes Remote retrieval capability			
ax Features tandard connectivity	Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax ph barrier supported: Yes Maximum speed d supported: No Telephone handset suppo 1 Gigabit Ethernet 10/100/1000T netwo	pages Auto fax reduction supported one TAM interface supported: No Fax ialing numbers: Up to 1000 numbers rted: No rk; 1 Hardware Integration Pocket 2nd	polling supported: Yes (poll to receive only) F (each with 210 destinations) PC interface su	ax telephone mode supported: No Junk pported: Yes Remote retrieval capability			
ax Features itandard connectivity letwork capabilities	Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax ph barrier supported: Yes Maximum speed d supported: No Telephone handset suppo 1 Gigabit Ethernet 10/100/1000T networ SuperSpeed USB 3.0 (host)	pages Auto fax reduction supported one TAM interface supported: No Fax ialing numbers: Up to 1000 numbers rted: No rk; 1 Hardware Integration Pocket 2nd Ethernet)	polling supported: Yes (poll to receive only) F (each with 210 destinations) PC interface su	ax telephone mode supported: No Junk pported: Yes Remote retrieval capability			
ax Features itandard connectivity letwork capabilities Vireless capability	Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax ph barrier supported: Yes Maximum speed d supported: No Telephone handset suppo 1 Gigabit Ethernet 10/100/1000T networ SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard	pages Auto fax reduction supported one TAM interface supported: No Fax ialing numbers: Up to 1000 numbers rted: No rk; 1 Hardware Integration Pocket 2nd Ethernet) dware accessory	polling supported: Yes (poll to receive only) F (each with 210 destinations) PC interface su d generation (HIP2); 1 Hi-Speed USB 2.0 (hos	ax telephone mode supported: No Junk pported: Yes Remote retrieval capability			
ax resolution fax Features Standard connectivity Network capabilities Wireless capability Mobile printing capability	Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax ph barrier supported: Yes Maximum speed d supported: No Telephone handset suppo 1 Gigabit Ethernet 10/100/1000T networ SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard Apple AirPrint™; Mopria™ Certified; Wi-Fi€	pages Auto fax reduction supported one TAM interface supported: No Fax ialing numbers: Up to 1000 numbers rted: No rk; 1 Hardware Integration Pocket 2nd Ethernet) dware accessory	polling supported: Yes (poll to receive only) F (each with 210 destinations) PC interface su d generation (HIP2); 1 Hi-Speed USB 2.0 (hos	ax telephone mode supported: No Junk pported: Yes Remote retrieval capability			
ax Features Standard connectivity Jetwork capabilities Vireless capability Aobile printing capability Aemory	Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax ph barrier supported: Yes Maximum speed d supported: No Telephone handset suppo 1 Gigabit Ethernet 10/100/1000T networ SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard Apple AirPrint™; Mopria™ Certified; Wi-Fi® Standard: 6 GB; Maximum:6 GB	pages Auto fax reduction supported one TAM interface supported: No Fax ialing numbers: Up to 1000 numbers rted: No rk; 1 Hardware Integration Pocket 2nd Ethernet) dware accessory Direct Printing; NFC Touch-to-print (Hard disk: Optional, 32 GB eMMC or I	polling supported: Yes (poll to receive only) F (each with 210 destinations) PC interface su d generation (HIP2); 1 Hi-Speed USB 2.0 (hos optional); PrinterOn Print HP Laser Jet 500 GB Hard Disk Drive; AES 256	ax telephone mode supported: No Junk pported: Yes Remote retrieval capability t); 1 SuperSpeed USB 3.0 (device); 1			
ax Features Standard connectivity Jetwork capabilities Vireless capability Aobile printing capability Aemory Processor speed	Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax ph barrier supported: Yes Maximum speed d supported: No Telephone handset suppo 1 Gigabit Ethernet 10/100/1000T networ SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard Apple AirPrint [™] ; Mopria [™] Certified; Wi-Fi [@] Standard: 6 GB; Maximum: 6 GB Quad Core (1.6GHz), Dual Core (1.4GHz) /	pages Auto fax reduction supported one TAM interface supported: No Fax ialing numbers: Up to 1000 numbers rted: No rk; 1 Hardware Integration Pocket 2nd Ethernet) dware accessory Direct Printing; NFC Touch-to-print (Hard disk: Optional, 32 GB eMMC or I	polling supported: Yes (poll to receive only) F (each with 210 destinations) PC interface su d generation (HIP2); 1 Hi-Speed USB 2.0 (hos optional); PrinterOn Print HP Laser Jet 500 GB Hard Disk Drive; AES 256	ax telephone mode supported: No Junk pported: Yes Remote retrieval capability t); 1 SuperSpeed USB 3.0 (device); 1			
ax Features Standard connectivity Network capabilities Vireless capability	Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax ph barrier supported: Yes Maximum speed d supported: No Telephone handset suppo 1 Gigabit Ethernet 10/100/1000T networ SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard Apple AirPrint™; Mopria™ Certified; Wi-Fi [®] Standard:6 GB; Maximum:6 GB Quad Core (1.6GHz), Dual Core (1.4GHz) / capabilities (Secure File Erase-Temporary	pages Auto fax reduction supported one TAM interface supported: No Fax ialing numbers: Up to 1000 numbers rted: No rk; 1 Hardware Integration Pocket 2nd Ethernet) dware accessory Direct Printing; NFC Touch-to-print (Hard disk: Optional, 32 GB eMMC or I Job Files, Secure Erase-Job Data, Sec	polling supported: Yes (poll to receive only) F (each with 210 destinations) PC interface su d generation (HIP2); 1 Hi-Speed USB 2.0 (hos optional); PrinterOn Print HP Laser Jet 500 GB Hard Disk Drive; AES 256 cure ATA Erase-Disk)	ax telephone mode supported: No Junk pported: Yes Remote retrieval capability t); 1 SuperSpeed USB 3.0 (device); 1 hardware encryption; Secure erase			

Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; Input Capacities, Max: Up to 3140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3					
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heav 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Card stock 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Color Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored					
Media weight supported	Tray 1: 60 to 300 g/m²; Tray 2, 3: 60 to 220 g/m²					
Media sizes supported	Tray 1: A3, A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Postcard, Postcard (JIS), Envelope B5, Envelop C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, RA4, SA4, A84, SRA4, B4 (JIS), B5 (JIS), Oficio, 16k; Tray 3: A3, A4, A4R, A5, RA4, SA4, SA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k					
Media Sizes Custom	Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm					
What's in the box	5QK18A In box materials; Guide install; Flyer Regulatory; Power Cords; Label; Drums					
Replacement cartridges ¹	HP Black Managed LJ Toner Cartridge (ISÓ Yield 14,500) W9140MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 12,000) W9141MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 12,000) W9142MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 12,000) W9143MC, HP Black Managed LJ Toner Cartridge (ISO Yield 29,000) W9150MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 24,000) W9151MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 24,000) W9152MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 24,000) W9153MC					
Product dimensions	Wx d x h: 566 x 646 x 848 mm - 640.8 x 725.5 x 908.1 mm; Maximum: 1681 x 1196 x 1190 mm - 1681 x 1196 x 1241 mm;					
Product weight	~77.8 kg - 84.2 kg;					
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.					
Energy star certified	Yes					
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel					
Control panel	5QK41A: 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker, SQK42A: 10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker					
Display description	5QK41A: 8-in (20.3 cm) touchscreen, XGA Color Graphic Display (CGD), 5QK42A: 10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)					
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com					
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS					
Compatible network operating systems	Windows Server; Linux; Citrix; UNIX; Novell					
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com					
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage:110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 10.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 5.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 580 watts (25ppm, printing), 670 watts (30ppm, printing), 720 watts (35ppm, printing), 32.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)					
Acoustics	Acoustic power emissions: 6.60 Bel(A), printing color simplex A4 at 25ppm; 6.70 Bel(A), printing color simplex A4 at 30ppm; 6.75 Bel(A), printing color simplex A4 at 35ppm; Acoustic Pressure Emissions (active, printing): 50 dB(A), printing color simplex A4 at 25ppm; 51 dB(A), printing color simplex A4 at 30ppm; 52 dB(A), printing color simplex A4 at 35ppm; Acoustic Pressure Emissions (active, printing): 50 dB(A), printing color simplex A4 at 25ppm; 51 dB(A), printing color simplex A4 at 35ppm; Acoustic Pressure Emissions (active, scan): 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm					
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH					

Messaging Footnotes

¹ HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

- Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin

HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details

⁶ In security is now in woursecurity. Security leaders vary by platform, presses see product data sineer for details Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf

⁷ HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

⁹100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers. ⁹100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic. HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

¹⁴ Philter, HP paper and original HP suppry - blocking speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
 ²⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Technical Specifications Footnotes

¹ Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies. ² Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and

document complexity. ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and ⁴ Measured using ISO/IEC 24734, excludes instruction to the observation of the observation of the system configuration, software application, driver, and document complexity.
 ⁴ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
 ⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
 ⁶ For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)





To learn more, visit

The product could differ from the images shown. © 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

